



We Are Columbia

CITY OF COLUMBIA CROSS CONNECTION CONTROL PROGRAM  
FIELD TESTING & MAINTENANCE REPORT FORM  
FOR BACKFLOW PREVENTION DEVICES

**\*ILLEGIBLE OR INCOMPLETE TEST REPORTS WILL NOT BE ACCEPTED\***  
watercrossconnection@columbiasc.gov Office (803)545-3876

Date: \_\_\_\_\_

Account Name: \_\_\_\_\_

Account Address: \_\_\_\_\_

Account Number: \_\_\_\_\_

Meter Number: \_\_\_\_\_

Device Name: \_\_\_\_\_

Model \_\_\_\_\_

Serial Number: \_\_\_\_\_

Size: \_\_\_\_\_

Service Type: Fire Protection  Domestic  Irrigation

Device Location: \_\_\_\_\_

New Installation  Replacement  Existing (Annual)  / \_\_\_ Serial Number Device being replaced .. \_\_\_\_\_

	Check No. 1	Check No. 2	Air-Inlet Or Relief Valve	# 1 Gate or Ball (Circle One)	#2 Gate or Ball (Circle One)
Test Before Repairs	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___	Opened at ____ LBS.  Differential Pressure ____	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input checked="" type="checkbox"/> /___	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input checked="" type="checkbox"/> /___
	Differential Pressure ____	Differential Pressure ____		Differential Pressure ____	
Repairs And New Materials	_____	_____	_____	_____	_____
Test After Repairs	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___	Opened at ____ LBS.  Differential Pressure ____	((Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___	(Mark One) Leaked <input type="checkbox"/> Closed Tight <input type="checkbox"/> /___
	Differential Pressure ____	Differential Pressure ____		Differential Pressure ____	

Tester Name/Certificate Number: \_\_\_\_\_

Tester Signature: \_\_\_\_\_

Company Name: \_\_\_\_\_

Company Telephone Number: \_\_\_\_\_

Method of Testing: \_\_\_\_\_

Test Kit Used: \_\_\_\_\_

Comments: \_\_\_\_\_

(Mailing Address) \_\_\_\_\_