

<u>ALL</u> of the following items must be submitted to begin the Record Drawing Review.

- ✓ Record Drawings
- ✓ Completed Record Drawings Checklist
- √ Form 2 Developer's Certification
- ✓ Form 3 Lien Waiver
- ✓ Materials List (itemized & on Approved Contractor's letterhead)
- ✓ Property deed(s) (Recorded)
- ✓ Sewer Acceptance Letter (if sewer to be treated by non-City entity)
- ✓ Mortgage(s) (for subject properties of the developer that are being developed, mortgage must be recorded)
- ✓ Off-site easement(s) (if applicable)
- ✓ Encroachment permit(s) (if applicable)
- All post construction submittals outside of City limits should be emailed to Engprojects@columbiasc.gov
- All post construction submittals inside City limits should be handled by contacting the Development Center at (803) 545-3420



Date	
Project Name	
Project Location	
City File Number	
Engineering Firm	
Engineer's Name	
Engineer's Phone #	
Engineer's Email	

- Please make a selection for <u>ALL</u> items relevant to your project on this checklist. If any item requires additional notes/explanation, please provide the necessary information in "Notes" at the end of the section.
- Water and Sanitary Sewer submittals should be submitted separately with its own cover sheet.
- Use all certifications as it is written in its form in the checklist. Deviating from the city's written certifications could cause delays in the Record Drawing Review.

General/Format – Verify or Indicate if the following are correct (see City's sample):

1.	☐ Yes	□ No	□ N/A	City's Record Drawing sample used					
2.	□ Yes	□ No	□ N/A	Does Record Drawing conform to approved Construction Plans and Approval Letter? <i>Note: City does not determine meter size</i> Drawings should consist of a cover sheet, plan sheet(s) and profile sheet(s). <i>Notes:</i> 1. This item is N/A for water projects; 2. Showing both plan and profile view on one sheet only acceptable on small projects All off-site easements obtained using City prepared documents and approved by the City's Real Estate Division No easements for water, sewer, or storm drainage shown in dedicated (existing) public road right-of-way. <i>Note:</i> Does not apply to roadways not yet dedicated and/or privately owned roadways Use standard symbols for appurtenances/fittings such as meter boxes, fire hydrants, valves, plugs, manholes, junction boxes, etc.					
3.	□ Yes	□ No	□ N/A	sheet(s). Notes : 1. This item is N/A for water projects; 2. Showing both plan and profile view on one sheet only acceptable on small					
4.	□ Yes	□ No	□ N/A	All off-site easements obtained using City prepared documents and approved by the City's Real Estate Division					
5.	□ Yes	□ No	□ N/A	dedicated (existing) public road right-of-way. <i>Note: Does not apply</i>					
6.	□ Yes	□ No	□ N/A	•					
7.	□ Yes	□ No	□ N/A	No copyright statements on record drawings or associated off-site easement exhibits					
8.	□ Yes	□ No	□ N/A	Is the project location within 5 miles of the nearest city boundary line?					



9. Notes								
<u>Title</u>	<u>Title Block - Indicate if the following are included:</u>							
1.	□ Yes	□ No	□ N/A	Title Block included on all Plan and Profile Sheets				
2.	<u> </u>		□ N/A	"Project Name"; must identify subdivision or project name, phase number if applicable, City, County and State where project is located				
3. □ Yes □ No □ N/A		□ N/A	"Prepared For"; must identify legal entity name, mailing address, and contact information for client including email if available					
4. □ Yes □ No □ N/A 5. □ Yes □ No □ N/A 6.		□ N/A	"Prepared By"; must identify engineering firm, engineer's name, and P.E.'s license number responsible for drawing					
5.	5. □ Yes □ No □ N/A		□ N/A	"Last Revised"; must identify date of revisions and provide comments explaining items revised as of that date				
6.								
		Notes						
Cove	er Sheet	- Indicate	if the fo	llowing are included:				
1.	☐ Yes	□ No	□ N/A	Name of the Subdivision or Project and City File number				
2.	□ Yes	□ No	□ N/A	State "Record Drawing Date, 20"; Notes : 1. Do not use older label of "As-Built"; 2. Record Drawing date should not predate project approval letter date and should not be the same date as construction plan date				
3.	□ Yes	□ No	□ N/A	Show "General Notes" for project. See General Notes section of this checklist (cover sheet only)				
4.	☐ Yes	□ No	□ N/A	Name and address of the developer				
5.	☐ Yes	□ No	□ N/A	Name, address, and email of the property owner				
6.	□ Yes	□ No	□ N/A	Name and address of the water provider				
7.	☐ Yes	□ No	□ N/A	Name and address of the sanitary sewer provider				
8.	□ Yes	□ No	□ N/A	Name and address of the storm drainage provider				
9.	□ Yes	□ No	□ N/A	Vicinity map, with North arrow (cover sheet only)				
10.								
		Notes						



General Notes - Indicate if the following are included:

1.	□ Yes	□ No	□ N/A	Tax map parcel numbers of subject site in General Notes section of Cover Sheet
2.	□ Yes	□ No	□ N/A	Ten State Standards in General Notes section of Cover Sheet –"Ten State Standards maintained between water, sewer, and storm drainage"
3.	□ Yes	□ No	□ N/A	Easement language regarding service lines, in General Notes section of Cover Sheet (see "Easement Language," included in Appendix)
4.	□ Yes	□ No	□ N/A	If sewer provided through septic tank, state "DHEC Septic Tank Approval Letter dated, expires five (5) years from date of issue" in General Notes section
5.	□ Yes	□ No	□ N/A	Provide mean sea level datum and state in statement form
6.	□ Yes	□ No	□ N/A	Identify in statement form to who new roadways will be conveyed (SCDOT, City or County). Only use approved roadway names/do not change roadway names without approval
7.	□ Yes	□ No	□ N/A	Other notes deemed appropriate and specific to the project
8.		Notes		

Plan Sheet(s) - Indicate if the following are included:

1.	□ Yes	□No	□ N/A	Identify graphic scale (must use 10, 20, 30, 40, 50, or 60; 100 only if necessary)				
2.	□ Yes	□ No	□ N/A	Blow-ups/insets for all fire hydrants and/or hydrant valves and elsewhere as deemed appropriate; identify either graphic scale or dimensions				
3.	□ Yes	□ No	□ N/A	North Arrow; specify if North Arrow is true or grid				
4.	□ Yes	□ No	□ N/A	how and label phase lines				
5.	□ Yes	□No	□ N/A	Label tax map number and owner's information for subject property and all adjacent properties. Verify current information at richlandonline.com and www.lex-co.com				
6.	□ Yes	□ No	□ N/A	Label City File number in lower right quadrant				
7.	□ Yes	□ No	□ N/A	Show bearings (degrees, minutes, and seconds) and distances for all sanitary sewer mains, storm drainage lines and street boundaries				
8.	□ Yes	□No	□ N/A	Label distances for all water mains and service lines (call out). Call outs should indicate size of pipe, material of pipe, and distance of pipe from fitting to fitting. Distances must be provided to nearest one-tenth of a foot (see Appendix for call out example)				
9.	□ Yes	□ No	□ N/A	Label distances for all sanitary sewer mains, service lines, and storm drainage lines. Stated distance should match distances shown on profile sheet (see Appendix for call out example)				



10.	□ Yes	□No	□ N/A	Location data: All appurtenances/fittings must be identified and "tied to" (i.e. provide the distance to) a nearby stable physical feature such as a true property corner or building corner. Two (2) tie point references are required to be shown on the drawing for the connecting point(s) and ending point(s) of all new lines (both main and service lines). A state plane coordinate table can be used to locate all other appurtenances/fittings such as hydrants, bends, reducers, meter boxes, blow offs, cleanouts, manholes, catch basin, etc. However, this coordinate table must also include the tie point reference distance between said appurtenance/fitting and a stable physical feature. (i.e., connecting point(s) of line is specified as the ultimate beginning where the new main/service line connects to existing City line or ending point(s), the ultimate end where the new main stops at a plug, stub-out, etc. or a service/lead line stops at a meter and/or fire hydrant) – See Appendix for example of state plane coordinate table			
11.	□ Yes	□ No	□ N/A	Label lot numbers, buildings and, existing/new public and/or private roadways and most current tax map number(s) with ownership			
12.	□ Yes	□ No	□ N/A	Bends on water drawings must be identified by size (degrees) and noted as vertical, if the bend is a vertical bend			
13.	□ Yes	□ No	□ N/A	Location of utility lines within easement relative to easement boundaries			
14.	□ Yes	□ No	□ N/A	Show and label easements for all utilities (power, gas, etc.) on subject properties			
15.	□ Yes	□No	□ N/A	Label easements for City utilities as "' Exclusive City of Columbia Water, Sanitary Sewer, Storm Drainage Easement." Note: See "Easement Language" information in Appendix			
16.	□ Yes	□ No	□ N/A	Contours (2' or more accurate) must be labeled and show multiple locations for ease of following. Top nut of hydrant may be substituted for elevation purposes. Final grades required only on all areas City of Columbia will be receiving easement(s)			
17.	□ Yes	□ No	□ N/A	Provide location and description of monuments (benchmarks)			
18.	□ Yes	□ No	□ N/A	Label road names and identify ownership of roadway and width of road right-of-way			
19.	□ Yes	□No	□ N/A	Water/sewer/storm drainage lines cannot arbitrarily end at phase lines; there must be proper termination of the line (plug, manhole, etc.) A utility line cannot end at a tee			
20.	□ Yes	□ No	□ N/A	Show sewer profiles including separations for all other utilities meeting Ten State Standards			
21.	□ Yes	□No	□ N/A	Identify all rights-of-way, easements, and areas to be dedicated for public use shown along with the purpose of each stated, including but not limited to power line rights of way, gas line rights of way, water, sanitary sewer, and storm drainage easements, public roadways			
22.	□ Yes	□ No	□ N/A	Label City File Number(s) and project name for existing lines being tied to			



	100-10			
23.	□ Yes	□ No	□ N/A	Identify meter box(es) and/or sewer clean out for each lot, with references (tie points)
24.		Notes		
Pro	file Shee	t(s) — Ind	dicate if t	he following are included:
1.	□ Yes	□ No	□ N/A	Identify horizontal and graphic scales for each profile
2.	. □ Yes □ No □ N/A		□ N/A	Label station numbers on all manholes, junction boxes, catch basins, etc. Also, show distances of main lines along profile view. Distances and station numbers should correlate
3.	□ Yes	□ No	□ N/A	Show size, material, and slope between manholes, and lengths of all sanitary sewer lines on plan view and profiles
4.	□ Yes	□ No	□ N/A	Label City File number in lower right quadrant
5.		Notes		
<u>Atta</u>	achment	s - Indica	ate if the	following are included:
1.	□ Yes	□ No	□ N/A	Off-site easement documentation, if applicable
2.	□ Yes	□ No	□ N/A	Must submit Sewer Acceptance Letter upon receipt (if sewer to be treated by non-City entity)
3.	□ Yes	□ No	□ N/A	Form 2 – Developer's Certification (not required for CIP); See City of Columbia Engineering Regulations section 6.5
4.	□ Yes	□ No	□ N/A	Form 3 – Lien Waiver Form signed by Contractor (not required for CIP); See City of Columbia Engineering Regulations section 6.6
5.	□ Yes	□ No	□ N/A	Itemized Materials List
6.	□ Yes	□ No	□ N/A	Provide copy of recorded deed for subject properties of the developer/owner being developed as part of this project (not required on CIP unless pipe installed on City-owned property)
7.	□ Yes	□ No	□ N/A	Provide copy of recorded mortgage on subject properties of the developer/owner being developed as part of this project (not required on CIP unless pipe installed on City-owned property)
				Copy of encroachment permits for new water, sewer and/or storm

drainage lines constructed within dedicated (existing) public roadways

upon receipt of encroachment applications.

and/or rights-of-way. Note: The City applies for encroachment permits

Last Revised: July 28, 2020

☐ Yes

□ No

□ N/A



9.	Notes tifications, Seals and Signa			
<u>Cer</u>	tification	ns, Seals a	and Signa	atures - Indicate if the following are included:
1.	□ Yes	□ No	□ N/A	Infiltration certification on all sewer drawings: "I hereby certify that the infiltration/exfiltration does not exceed 200 gallons per-day per- inch of pipe diameter per-mile of sewer pipe including manholes for any section of the system."
2.	□ Yes	□ No	□ N/A	Engineer's Certification Statement (cover sheet only) – See Appendix for the statement to include on the cover sheet
3.	□ Yes	□ No	□ N/A	SC Professional Engineer Seal, Signature, and Date (on each sheet)
4.	□ Yes	□ No	□ N/A	Engineering Firm's Certificate of Authorization Seal (on each sheet)
5.		Notes		



RECORD DRAWING APPENDIX

Engineer's Certification Statement

• The certification below should be used on the cover sheet on all projects. Use the certification as it is written below.

E	NGINEER'S CERTIFICATION	
CERTIFY THAT TO THE BEST OF MY	PILED REPRESENTATION OF THE CONSTRUCE KNOWLEDGE AND BELIEF, BASED ON COMPLETED WORK AND REVIEW OF THE	OBSERVATIONS DURING
Water MainsSanitary Sewer SystemStorm Drainage SystemStreets	Sewer Force Mains Lift Station/Pump Station Reclaimed Water Mains	
WAS COMPLETED BY THE CONTRACTOR PLANS, AND SPECIFICATIONS	IN ACCORDANCE WITH THE INTENT OF THE	E PERMITS, APPROVED
		Date:
NAME: SOUTH CAROLINA LICENSE NO:	(,	AFFIX SEAL HERE)
INFORMATION PROVIDED BY: GENERAL CONTRACTOR Name: Address: Phone #: S.C. License Number:		
SURVEYOR Name: Address: Phone #: S.C. License Number:		



Easement Language

Main lines and future extensions – ex: "15' Exclusive City of Columbia Water Easement" Service Lines should be covered in a note: "There is a 10' Exclusive City of Columbia water/sewer easement on all service lines from the main line to the meter/cleanout"

Sanitary Sewer Language

This verbiage should be used on record drawings where the sanitary sewer service will be installed by the City of Columbia Forces – ex: "Future Sanitary Sewer Service line to be constructed by City of Columbia Forces"

Storm Drain Certification Language

I hereby certify that the storm drainage system for	was installed in
accordance with the City of Columbia approval letter dated	, and meets storm
drainage requirements and contained silt on the property concerned	to the maximum extent feasible.
Provisions for erosion and sediment control and storm drainage were	e met in accordance with the
Columbia Sediment and Erosion Control and Storm Drainage Ordinan	ice.

Note: If the City of Columbia will not be operating and maintaining the drainage system, the statement must be in letter format on the engineer's letterhead. The statement must be signed and sealed by the Engineer of Record and must provide his P.E. Registration number (reference City Regulations Manual, page 14, items 3 & 4, under "Storm Sewer Design).

Final Submittal

- Record drawings are final (all requested revisions addressed, signed and sealed)
- All required documents for the project must be submitted on legal-size paper, including
 executed utility deeds, Declaration of Covenant, and Partial Mortgage Release (In
 instances where there is no mortgage on the property, the Owner must return form to
 the City identifying the project name and address with the notation, "There is no
 mortgage on this property.")
- Final Record Drawing .PDF and .DWG must be submitted electronically through email. You will be notified if a CD ROM or DVD is required

Submittal to DHEC

Final Package to DHEC must include:

- Engineer's Certification Letter: The Engineer must certify that the project has been built
 in accordance with the permitted plans and with good engineering practices. The
 certification is based upon periodic observation of the construction by the project
 engineer or a representative of his/her office. Infiltration Certification must also be
 included for all sewer projects.
- City's Ownership, Operation & Maintenance Letter (O&M Letter): This letter will be provided by the City of Columbia upon receipt of all required documents (deeds, covenants, etc.) approved pressure tests, bacteriological test, and final inspection by the City's Utility Inspector.

Page 9 of 11



- 3. **Pressure, Bacteriological and Fire Hydrant Flow Test Results**: Test results will be issued with the City's O&M Letter.
- 4. Two (2) Sets of Record Drawings

Complete package to be submitted by the Engineer to DHEC at:

Central Midlands District Environmental Quality Control P.O. Box 156 State Park, South Carolina 29147

WATER CALL OUT VERBIAGE

(distance of pipe) LF (size of pipe) (material of pipe) from (fitting) to (fitting)

WATER CALL OUT EXAMPLE

53.89 LF 6" DIP FROM 6" VALVE TO TEE

10.17 LF 6" DIP FROM 90° BEND TO 6" VALVE

5.80 LF 6" DIP FROM REDUCER TO 90° BEND


25.3 LF 6" DIP FROM BEND TO BEND

SANITARY SEWER & STORM DRAINAGE CALL OUT

Top portion is indicated by bearing (degrees, minutes, seconds) between station to station Bottom portion is indicated by (distance of pipe) LF (size of pipe) (material of pipe)

Sewer Stations are always manholes or clean-outs Storm Drainage Stations are junction boxes and catch basins

SANITARY SEWER CALL OUT EXAMPLE



The same example can apply for storm drainage with the addition of junction boxes or catch basins

Page 10 of 11 Last Revised: July 28, 2020



COORDINATE TABLE

As stated on Page 5 of the Record Drawing Checklist, a coordinate table can be used to display all other appurtenances/fittings such as hydrants, bends, reducers, meter boxes, blow offs, cleanouts, manholes, catch basins, etc. to state plane coordinates. Two (2) tie point references are required for each appurtenance/fitting on the coordinate table. The two tie points must be from said fitting to a stable physical feature such as true property corner or building corner. Please see below for coordinate table example.

		WATER MAIN LOCATION							
REF	REF PNT	NORTHING	EASTING	PNT	NORTHING	EASTING	DESC	DISTANCE	
IPF	1	808769.95	1941841.49	2	808730.62	1941813.04	4"VALVE	48.55	
. IPF	1	808769.95	1941841.49	3	808703.87	1941807.21	4" DIP WL	74.45*	
IPF	1.	808769.95	1941841.49	. 4	808657.41	1941801.54	.4" DIP WL	119.43	
. IPF	1	808769.95	1941841.49	5	808619.19	1941813.63	4" DIP WL	153.33	
IPF	1	808769.95	1941841.49	6	808580.79	1941805.92	METER .	192.48	
IPF	1	808769.95	1941841.49	7	808577.26	1941794.31	4" DIP WL	198.38	
IPF	1	808769.95	1941841.49	8	808571.27	1941780.31	4" DIP WL	207.90'	
IPF	1	808769.95	1941841.49	9	808570.33	1941780.31	11.25" BEND	211.11'	
IPF	1	808769.95	1941841.49	10	808572.42	1941759.80	90. BEND	213.76	
IPF -	1	808769.95	1941841.49	11	808569.21	1941759.04	90° BEND	217.02	
IPF	1	808769.95	1941841.49	12	808569.67	1941757.33	4" VALVE	217.25	
IPF	1	808769.95	1941841.49	13	808570.24	1941755.28	POST HYD	217.53	
IPF	1	808769.95	1941841.49	14	808572.73	1941746.33	METER	218.98	
IPF	1	808769.95	1941841.49	16	808648.01	1941800.89	45° BEND	128.52	
IPF	1	808769.95	1941841.49	17	808630.56	1941814.88	45° BEND	141,91	
IPF'	1	808769.95	1941841.49	18	808588.13	1941810.20	45° BEND	184.50*	
IPF	1	808769.95	1941841.49	19	808572.33	1941786.96	22.5° BEND	205.01	

