







Continuous Water Quality Monitoring Periodic Report

Gills Creek A (June 4, 2025 - July 17, 2025)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	0.9	5.7	1.2	1.4	0.6
LOCATION:	Forest Drive Bridge	TEMPERATURE (°F):	77	93	85	86	3
ADDRESS:	4840 Forest Drive, Columbia, SC 29206	TURBIDITY (NTU):	4	351	8	13	25
COORDINATES:	34.019826, -80.963566	pH:	6.2	7.0	6.7	6.7	0.1
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.025	0.063	0.045	0.045	0.003
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	6.9	8.1	7.5	7.5	0.3
APPROX. DRAINAGE AREA:	48 square miles						
SPATIAL LOCATION:	Most upstream site						
TOTAL NO. STORMS OVER 0.1 INCH:	11						
MAX. DAILY RAINFALL:	1.8 inches						
TOTAL RAINFALL (FOR PERIOD):	6.7 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek A (June 4, 2025 - July 17, 2025)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals.
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals.
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals.
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals.
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals.

Sampled Data: No wet weather samples were collected during this monitoring period.

Analyte (units)								
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)								
Total Suspended Solids (mg/L)								
Lead (mg/L)								
Hardness (mg/L)								

Notes:

Data Gaps

Calibration periods occurred during 6/3-6/5 and 7/16-7/18. Data gap present in all water quality parameters on 6/17, 6/21-6/25, and 7/3-7/11 due to sonde unsubmergence.







Potential Illicit Discharges and Abnormal Events:

No potential illicit discharge events visible during this monitoring period.

Continuous Water Quality Monitoring Periodic Report

Gills Creek B (June 4, 2025 - July 17, 2025)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	2.6	7.3	2.9	3.2	0.7
LOCATION:	Devine Street bridge	TEMPERATURE (°F):	79	93	85	85	3
ADDRESS:	4716 Devine Street Columbia, SC 29209	TURBIDITY (NTU):	7	132	12	15	8
COORDINATES:	33.989656, -80.97433	pH:	6.3	7.1	6.6	6.6	0.1
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.032	0.061	0.053	0.052	0.003
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	4.1	7.8	6.2	6.2	0.9
APPROX. DRAINAGE AREA:	59 square miles						
SPATIAL LOCATION:	Middle site						
TOTAL NO. STORMS OVER 0.1 INCH:	12						
MAX. DAILY RAINFALL:	2.9 inches						
TOTAL RAINFALL (FOR PERIOD):	8.4 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek B (June 4, 2025 - July 17, 2025)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals.
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals.
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals.
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals.
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals.

Sampled Data: No wet weather samples were collected during this monitoring period.

Analyte (units)								
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)								
Total Suspended Solids (mg/L)								
Lead (mg/L)								
Hardness (mg/L)								

Notes:

Data Gaps

Calibration periods occurred during 6/3-6/5 and 7/16-7/18. No data gaps occurred during this monitoring period.







Potential Illicit Discharges and Abnormal Events:

No potential illicit discharge events visible during this monitoring period.

Continuous Water Quality Monitoring Periodic Report

Gills Creek C (June 4, 2025 - July 17, 2025)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	2.9	9.0	3.4	3.8	1.2
LOCATION:	Bluff Road bridge	TEMPERATURE (°F):	76	89	83	83	3
ADDRESS:	3009 Bluff Rd. Columbia, SC 29209	TURBIDITY (NTU):	7	214	14	17	13
COORDINATES:	33.948043, -80.98889	pH:	5.9	6.4	6.2	6.2	0.1
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.031	0.071	0.057	0.056	0.005
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	4.6	6.9	5.7	5.7	0.3
APPROX. DRAINAGE AREA:	64 square miles						
SPATIAL LOCATION:	Most downstream site						
TOTAL NO. STORMS OVER 0.1 INCH:	12						
MAX. DAILY RAINFALL:	3.75 inches						
TOTAL RAINFALL (FOR PERIOD):	9.9 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek C (June 4, 2025 - July 17, 2025)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals.
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals.
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals.
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals.
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals.

Sampled Data: No wet weather samples were collected during this monitoring period.

Analyte (units)								
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)								
Total Suspended Solids (mg/L)								
Lead (mg/L)								
Hardness (mg/L)								

Notes:

Data Gaps

Calibration periods occurred during 6/3-6/5 and 7/16-7/18. No data gaps occurred during this monitoring period.

Potential Illicit Discharges and Abnormal Events:

No potential illicit discharge events observed during this monitoring period.